

ELAN IMPRESSION 354
Pricelist 2014a

elan

WWW.ELAN-YACHTS.COM



ELAN IMPRESSION 354

Pricelist 2014a

elan

WWW.ELAN-YACHTS.COM

SPECIFICATION ELAN IMPRESSION 354

Length overall	9,90 m 33 ft
Hull length	9,99 m 33 ft
Length at waterline	8,79 m 28,8 ft
Beam	3,49m 11'5" ft
Draft (std/shallow)	1,90 m / 1,60 m 6'3" ft / 5'3" ft
Air draft	14,70 m 48'28", ft
Displacement approx.	6.000 kg 13.228 lbs
Ballast	1.820 kg 4.012 lbs
Engine power max.	19 HP (29 HP opt.) / 13,97 kW (20,86 kW opt)
Fuel capacity	110 l 29 US gal
Water capacity	238 l (468 l opt.) 62,9 US gal (123,6 US gal opt.)
Mainsail	27,80 m ²
Genoa	30,25 m ²
Spinnaker	79,50 m ²
I	12,50 m 41 ft
J	3,70 m 12'1" ft
P	11,64 m 38'2" ft
E	4,01 m 13'1.9" ft
Design	Humphreys Yacht Design & Elan Design Team



2 cabins, 1 head



3 cabins, 1 head



All prices are in EUR and excl. VAT, ex yard. All weights and measurements are calculated based on the construction data. Elan d.o.o. reserves the right to modify specifications and pricelists without prior notice. Effective from 1st of January 2014. E400/A/EN/01012014

STANDARD equipment Elan Impression 354

CERTIFICATION

Impression 354 by Elan is delivered with a CE certificate and meets the requirements of European directive 94/25/CE for recreational crafts. The CE class A category certificate (unlimited Ocean voyages) is issued by Germanischer Lloyd.

CONSTRUCTION

Hand layup biaxial laminate // isophthalic polyester resin for skin coat. // SVG gelcoat for optimal chemical resistance against osmosis and mirror finish // moulded inner structure glued and laminated to the hull // cast iron keel 1.9m

DECK EQUIPMENT

S/S pullpit with integrated teak step // S/S stanchions with lifelines // S/S stem-head fitting with roller and S/S bow protection /OP/ // 4 mooring cleats // teak toe rail // 2 sets of deck organisers // 2 set of clutches // 2 halyard Harken B 20 STA winch // 2 genoa Harken 35.2 B STA winches // above genova furler // 2 genoa sheet tracks with pin stops // mainsheet tackle on pin // compass on the steering pedestal // 1 winch handle bin // 2 cockpit lockers on port and starboard side // 1 gas bottle locker draining outboards // 2 white GRP steering wheel // cup holders on port and starboard side // S/S bathing ladder // grab rails on coach roof // jack lines attachments on deck

MAST / STANDING RIGGING

fractional rig // silver anodized aluminium deck stepped mast // 2 sets of aft swept spreaders // silver anodized aluminium SLR boom // stainless steel standing rigging // windex

RUNNING RIGGING

1 genoa halyard // 1 main halyard // 2 genoa sheets // 1 main sheet // 1 main outhaul // 2 reefing lines

SAILS

standard semi full batten mainsail // furling genoa with UV strip //

WATER SYSTEM

fresh water tanks // 12 V fresh water pump // central electric bilge pump with automatic switch // hand bilge pump in cockpit

ENGINE EQUIPMENT

diesel engine Volvo Penta D1-20 fitted with sail-drive // engine control lever on steering pedestal // fuel tank // fuel filter with water separator // fixed 2-bladed propeller // engine hour counter

ELECTRICAL SYSTEM

12 V circuit // control panel with voltmeter for batteries, fresh water and fuel level indicator // two separate 12 V AGM batteries (90 Ah and 65 Ah) // engine alternator // navigation lights according to Col. Reg // 12V plug on the control panel

GAS SYSTEM

2kg butane-propane gas bottle, 30mbar pressure - relief valve with shut-off valve

SALOON

headroom 1990 mm // fixed small saloon table // U-shaped settee on port side // settee on starboard side // 1 opening deck hatch // 2 hull port lights // lockers along the hull on both sides // 8 overhead lights

GALLEY

headroom 1880 mm // L-shaped galley // top opening box prepared for refrigerator // S/S 2 ring cooker // double sink // lockers and drawers // 1 opening deck port light // 1 overhead light

NAVIGATION STATION (option)

chart table // reading spotlight // lockers

FORWARD CABIN (2 & 3 CABIN VERSION)

headroom 1840 mm // 1 double berth 2000 x 1900 mm // 1 hanging locker // 1 locker with shelves // 2 lateral shelves // storage under berth // 2 overhead lights // 1 escape hatch

AFT CABINS

(3 CABIN VERSION)

headroom 1950 mm // 1 double berth 2030 x 1500 mm // 1 hanging locker // 1 locker with shelves // 1 shelf // 1 overhead light // 1 opening cockpit port light

(2 CABIN VERSION)

headroom 1950 mm // 1 double berth 2030 x 1840 mm // hanging locker // Lateral shelf // 1 overhead light // 1 opening cockpit port lights

TOILET (SHOWER) COMPARTMENT

(3 CABIN VERSION)

headroom 1950 mm // marine toilet // washbasin with pressurized tap // mirror // stowage lockers // 1 opening port light // 2 overhead lights

(2 CABIN VERSION)

headroom 1950 mm // marine toilet // washbasin with pressurized tap // mirror // stowage lockers // separate shower compartment // 1 opening portlight // 3 overhead lights

MISCELLANEOUS

2 winch handles // owner's manual // emergency tiller // 2 fire extinguishers // flag pole